


Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3461$ $y=0.3563$ $u'=0.2103$ $v'=0.4871$
 CCT=4979K (Duv=0.0020) Dominant WL:Ld =571.1nm Purity=10.8%
 Ratio:R=17.8% G=76.2% B=6.0% Peak WL:Lp=622.5nm FWHM=263.7nm
 Render Index:Ra=98.4
 R1 =99 R2 =99 R3 =99 R4 =99 R5 =99 R6 =99 R7 =98
 R8 =95 R9 =87 R10=99 R11=99 R12=95 R13=99 R14=99 R15=97

Photo Parameters:

Flux = 3129 lm Eff. : 61.96 lm/W Fe = 11.65 W

Electrical parameters:

V = 220.26 V I = 0.2335 A P = 50.49 W PF = 0.9816


LEVEL:OUT WHITE:ANSI_5000K

Status: Integral T = 66 ms Ip = 34732 (53%)

Model:W
 Tester:DAMIN
 Temperature:25.3Deg
 Manufacturer:

Number:129
 Date:2019-09-03
 Humidity:65.0%
 Remarks:---

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3464$ $y=0.3564$ $u'=0.2104$ $v'=0.4872$
 CCT=4969K (Duv=0.0019) Dominant WL:Ld =571.3nm Purity=10.9%
 Ratio:R=17.8% G=76.2% B=6.0% Peak WL:Lp=619.0nm FWHM=263.5nm
 Render Index:Ra=98.5
 R1 =99 R2 =99 R3 =99 R4 =99 R5 =99 R6 =99 R7 =98
 R8 =95 R9 =88 R10=99 R11=99 R12=95 R13=99 R14=99 R15=97

Photo Parameters:

Flux = 2680 lm Eff. : 65.46 lm/W Fe = 9.985 W

Electrical parameters:

V = 220.24 V I = 0.3901 A P = 40.94 W PF = 0.4765

LEVEL:OUT WHITE:ANSI_5000K

Status: Integral T = 114 ms Ip = 51452 (79%)

Model:W
 Tester:DAMIN
 Temperature:25.3Deg
 Manufacturer:

Number:130
 Date:2019-09-03
 Humidity:65.0%
 Remarks:---