



ATTESTATION OF CONFORMITY

Issued to : SHANGHAI WELLMAX LIGHTING INDUSTRY CO.,LTD.
10F, No.26 Building, No.1000 Jinhai Road, Pudong District Shanghai, P.R. China.

For the product : LED lamps

Trademark : WELLMAX

Type/Model : L-BL-series, L-RF-series, L-MI-series, L-TL-0001 series, L-ST-0100 series

Ratings : 220 - 240 Vac; 50/60 Hz; E27, B22, E14 and GU10,
for detailed information refer to model list.

Manufactured by : SHANGHAI WELLMAX LIGHTING INDUSTRY CO.,LTD.
10F, No.26 Building, No.1000 Jinhai Road, Pudong District Shanghai, P.R. China.

Requirements : EN 62560:2012+A1:2015;
EN 62493:2010;
EN 62493:2015

This Attestation is granted on account of an examination by DEKRA, the results of which are laid down in test report no. 6049010.51

This Attestation implies that the examined types are in accordance with the standards designated under the Low voltage directive (LVD) 2014/35/EU.

The examination has been carried out on one single specimen of the product, submitted by the manufacturer. The Attestation does not include an assessment of the manufacturer's production. Conformity of his production with the specimen tested by DEKRA is not the responsibility of DEKRA.

Shanghai, 3 April 2019

Number: 6049010.01AOC

DEKRA Testing and Certification (Shanghai) Ltd.

Kreny Lin
Certification Manager

© Integral publication of this attestation and adjoining reports is allowed.

Page 1 of 3



The CE marking may be affixed on the product if all relevant and effective EC directives are complied with

DEKRA Testing and Certification (Shanghai) Ltd.
3F 250 Jiangchangsan Road Shibe Hi-Tech Park, 200436 Zhabei District, Shanghai, China
T +86 21 6056 7666 F +86 21 6056 7555 www.dekra-certification.com

Annex

Document no. : 6049010.01AOC

Model list:
220-240 Vac, 50/60 Hz

Model name	Lamp cap	Rated current	PCB
L-BL-0700-(a)W	E27/B22	For 3 W models:	PCB 1
L-BL-0701-(a)W	E27/B22	0,03A;	
L-BL-0702-(a)W	E27/B22	For 5 W models:	
L-BL-0703-(a)W	E27/B22	0,050 A;	
L-BL-0706-(a)W	E27/B22	For 6 W models:	
L-BL-0707-(a)W	E27/B22	0,060A;	
L-BL-0720-(a)W	E27/B22	For 7 W models:	
L-BL-0721-(a)W	E27/B22	0,070A;	
L-BL-0740-(a)W	E27/B22	For 9 W models:	
L-BL-0740-5Y-(a)W	E27/B22	0,085 A	
L-BL-0740-2A-(a)W	E27/B22	For 10 W models:	
L-BL-0749-(a)W	E27/B22	0,07A/0.09A	
L-BL-0801-(a)W	E27/B22	For 11 W models:	
L-BL-0802-(a)W	E27/B22	0,1 A	
L-BL-0807-(a)W	E27/B22	For 12 W models:	
L-BL-0820-(a)W	E27/B22	0,115A;	
L-BL-0840-(a)W	E27/B22	For 13 W models:	
L-BL-0840-5Y-(a)W	E27/B22	0,12A	
L-BL-0840-2A-(a)W	E27/B22	For 15 W models:	
L-BL-0849-(a)W	E27/B22	0,145 A	
L-BL-1500-(a)W	E27/B22	For 16 W model:	
L-BL-1600-(a)W	E27/B22	0,15 A	
L-BL-1700-(a)W	E27/B22	For 18 W model:	
L-BL-1003-(a)W	B22/E27	0,165 A	
L-BL-1200-(a)W	B22/E27	For 23 W models:	
L-TL-0001-(a)W	B22/E27	0,21 A	
L-ST-0100-(a)W	B22/E27		
L-RF-0400-(b)W	GU10	For 4 W models:	PCB 2 for GU10
L-RF-0409-(b)W	GU10	0,040 A	
L-RF-0400-5Y-(b)W	GU10	For 5 W models:	
L-RF-0400-2A-(b)W	GU10	0,050 A	
L-RF-0403-(b)W	GU10	For 6 W models:	
L-RF-0406-(b)W	GU10	0,060A	
L-RF-0407-(b)W	GU10	For 7 W models:	
L-RF-0500-(b)W	GU10	0,070 A	
L-RF-0500-5Y-(b)W	GU10	For 8 W models	
L-RF-0500-2A-(b)W	GU10	0,075 A	
L-RF-0507-(b)W	GU10		
L-RF-0509-(b)W	GU10		

Annex

Document no. : 6049010.01AOC

Model list:
220-240 Vac, 50/60 Hz

Model name	Lamp cap	Rated current	PCB
L-MI-0100-(c)W	E14/E27/B22	For 4 W models: 0,040 A; For 5 W models: 0,050 A For 6 W models: 0,06 A For 7 W models: 0,070 A For 8 W model: 0,075 A	PCB 3 for C37
L-MI-0109-(c)W	E14/E27/B22		
L-MI-0100-5Y-(c)W	E14/E27/B22		
L-MI-0100-2A-(c)W	E14/E27/B22		
L-MI-0103-(c)W	E14/E27/B22		
L-MI-0106-(c)W	E14/E27/B22		
L-MI-0107-(c)W	E14/E27/B22		
L-MI-0500-(c)W	E14/E27		
L-MI-0400-(c)W	E14/E27		
L-BL-0618-(c)W	E14/E27		
L-BL-0628-(c)W	E14/E27	For 4 W models: 0,04 A; For 5 W models: 0,050 A; For 6 W models: 0,06 A; For 7 W models: 0,070 A For 8 W model: 0,075 A	PCB 3 for P45
L-MI-0200-(c)W	E14		
L-MI-0209-(c)W	E14		
L-MI-0200-5Y-(c)W	E14		
L-MI-0200-2A-(c)W	E14		
L-MI-0207-(c)W	E14	For 4 W models: 0,040 A; For 5 W models: 0,050 A; For 6 W models: 0,060 A; For 7 W models: 0,070 A For 8 W model: 0,075 A	PCB 3 for G45
L-MI-0300-(c)W	E27/B22		
L-MI-0300-5Y-(c)W	E27/B22		
L-MI-0300-2A-(c)W	E27/B22		
L-MI-0307-(c)W	E27/B22		
L-MI-0309-(c)W	E27/B22		
L-BL-0622-(c)W	E27/B22		
L-BL-0632-(c)W	E27/B22		

"a" means rated wattage, it can be 3 W, 5 W, 6 W, 7 W, 9 W, 10 W, 11 W, 12 W, 13 W, 15 W, 16 W, 18 W and 23 W.

"b" means rated wattage, it can be 4 W, 5 W, 6 W, 7 W and 8 W.

"c" means rated wattage, it can be 4 W, 5 W, 6 W, 7 W and 8 W.